Abstract

The processor of a grant and a grant and a grant and a grant and a burst sudaming of a range of a grant and a grant

Plate supplied from the espégoenet detablase - iz-

There is a state of the control of t

secondly inclinates of things of a recognized particles of the control of the con

in deneral provided the usually solid starting material containing nitrogers bydrogen bonds and the usually solid cotalytic or reaction promoter metal fit or delare innoculmater to rother in committed or granular form to provide a mixture of starting material and reasonably work dispersed metal thuoride. The mixture is then subjected to the action of elemental fluorine while maintaining certain relatively low to moderately night temperature and other reaction conditions. The obligas from the reaction in which the starting material material fluoring to obtain a content of the artists of elemental fluoring contains the coughtful usually perfluorinated introger, compounds which have become red by low temperature condensation followed by conventional fractional distillation.

The catalysts which have we employed in grounder of the overforcure or two deals of activity of the open advisors with hydrogen muchoe. The metals comprise the alkan metals including that the remark with hydrogen muchoe. The metals comprise the alkan metals including that the remark such as a contract of the properties of the formula control to the properties of the following the formula control to the properties of the following the formula control to the properties of the p

A CONTROL OF THE STANDARD CONT

And the second of the second o

Ask of teen of elemental comment, a code increase, dependent of the comment of a continued of the continued of the second of the comment of the continued of th

Francipal products, expect when evanoguaridine is emple of a 2 the seating maxifier. It is thansi N2 F2, and N2 F4. The usually dominant sough not product is RF3, propositions of rich and may vary as indicated in the appended Examples, and may vary in constitution become of rich and starting material employed. For example waiting may produce 18 S and N2 F2 and substantially no N2 F4, while scorum andied may produce hirs and the last substantially no N2 F4, while scorum andied may produce hirs and the site of the substantially no negative recoverable from the research during as a constant of the research formulation and fractional distinguish. According to the resolution of various fluorides. NFS is of known utility, for example as on intermediate for reaction of the substantial research to the polymerization of monomers such as methyl methacity are stylene and cycloper. Since the

The principles of the invention as described above may be used to advantage to fluorinate dyanoguanione. ##BOst1## and thereby effect high yield production of perfluorementalismine (CFS 192) in a minus 122 DEG Co. a known compound which is a gas at normal conditions. In this indicatement is critical percentage may be subclassed on the range of 6.250-220 MeG Coproduction. Such as compositions of caravers, proportioning of the evenoquanione and distribute or feed of fluorine and dilution of the came and recovery of CF3 NF2 brownshipped in practice of this call of the diversity.

Character Section 1988 August 1998 August 1998

F-XAMPLE T

About 1 g of tetram ample that I we missed with the fluctuary of the general providers, in update 8 to 1, weight that the missed was blaced. We define the Relight the Chape, which the driess about the high chape was proceed in out to a medical electric research to the number of generous blocking was proceed in out to a medical electric research to the foreign and the first that the first medical electric research to the foreign and the first medical electric research to the foreign and the first electric research to the first medical electric research electric resear

The first term of the second of the second

and the second

+

To the response of the contract of the contrac

Telephone in the

who of security 2 is a College state of the second security 2 is a second secon

EXAMPLE 4

An outilist constitutes into 1500 million of a constitution well of an incommunity and the middle of a transfer of the succession of the s

LU MANTE LL

The control of the co

But the same of the the state of the s in the second of the second of particles in and the second section of the second section of the The second of th and the same of the control of the c The was a first the second of the second e transference in a community and the first for income in the granteen are gate, to begin in the conjugation ് പ്രവാഗം അംബം വാധ്യാവായ പ്രവാധ വാധ്യായിരുന്നു. വാധ്യായിൽ നിന്നു വാധ്യായില് അന്ന് വിവര്യ വര്യ വര്യ വര്യ വര്യ വ സ്വാധന്ത്രം സ്വാധന്ത്രം പ്രവാധ വര്യ വര്യ വിവര്യ വര്യ വിവര്യ വിവര്യ വിവര്യ വിവര്യ വര്യ വര്യ വര്യ വര്യ വര്യ വര്യ the procure of and of about 60 to 65 points, artist in unpluged of the recopy of item, letter (1690) or the control of the angle of the great at the capital and but of the active to game it, and shared capital of Carbon is Carbon 2. In Carbonyt Buende i Helicavor, the vietes or naregen tobachde and tensing the transaction is seen a new containing the property of the many partial property and the second containing the second cont temove i tand variet me temperamen ne grophopolit ny past i the vivid of signoper tidhopice ope ted as some constraint in the control of the control of the first terms and the second of the second alektrika izalari di bili di bara da bili bili di bili bili bili bili bili di koden Azirah egi ak ndroge di Harnomedi anerula di bili di bargi a reddelen e di bili kwen e di di hare delen bili bili dekemberan offenile bere arrale bit.

L'S Jonation 4 . T

The injury of the injury of the action of the left of the MaHED were mixed and charged into the reactor of Louis, and the common are shown in the leaders of Louis, and the common are shown in the leaders. The land mentioned was charged into the reactor. The land the first of the first of the infector temperature was maintained at about 25 DEG C. As determined by intrared analysis of the inactor exitigs immediately on introduction of fluorine into the reactor, nitrogen trifluoride for additional within about 50 minutes a yield of about 5 mmHg of NF3 was obtained as determined by influored analysis of the reactor of reas. After reaction time of about 2 hours, reactor of gas contained about 55 mmHg of NF3 and 20 mmHg of NP F2. The daseous impurities included small amounts of NO 1103 F and NO2.

manner e

sorobied fluorine gas flow rate was adjusted to about the country, and after introgen quotion of obout 1.1 the microris editogen mixture was charged into the reactor. Throughout the run, reactor to operative was maintained at about 25 DED C. While had an hear ofter charging of fluorine INF3 and V2 F2 were forced to about 25 DED C. While had an hear ofter charging of fluorine INF3 and V2 F2 were forced to about 0.1 or in the first transfer of the reactor of the reacto

[17,7:240] ** .

About 1 and 10 to 10 to 10 and 10 and

The content of the co

Applied of the sample of the control of the control

forms having the continuous of the endedon in antique adviators had all pressures or early of the commute of pursue of the commute of the continuous of the

Data supplied from the ont Apparet Poteliann 19

of the west and the second

erte aktivisti. 1991. 1991. 1991. – Belag Starkett, Stattert benedaturraketak. Meksani Vartetigenber i ting a merger open section of the control of the control of the control of the section of the control of the co The first of the first of the presentation of the properties of the examination of the state of the examination of the state of the examination of the language and the other selfice. Office rather of the selection, preservable as so and land or selection and their or remains a superfect to the considers. In applicable the confiders and reserved

The second of th

A THE CONTROL OF COMMENT OF THE WIFE, THE THEORY IS CONTROL OF THE THE THE THEORY IN CASE IN CITE OF THE PROPERTY OF THE PROPE -----

the attrice, is self-inhealing than the first production and in the self-balls.

- 6. The process for cussian substituted simpone compounts constitute or hite and opinions and consociented from the group can option of alkah metal include in a binner of the most income. The enduration of the ground of the control of the control of the control of the company of the control of the afore-mentioned shostitude actinions compounds as starting material and a thorace caracter same fluoride catalyst being a thiolide of a thetal which toldas are aligness with everywear toldine in surfacting said wards the second to the portion of steer and therefore while in the presence on soid caralystic maintening the percentage in the new tion care suindictionly in one range of 0.000, 3.11 DEGC but not above the phase ontinge temperature or the situang material is a riquid or not above the decomposition by operatore or the starting fruiterian is a sonul to energy energy or the exercise mater 4 and flooringtion of the creavage products and discollecting from the reaction done the rolable of leases contained a devices trifluoride
- 3 The process of claim 5 in which the metal fluence catalyst introduced into the reaction sone in an arkair metai fluoriue.
- 2 . The process of claim 6 in which the metal fluoride catalyst introduced into the reaction zone is a hiffuonde
- 3. The process of claim 5 in which the motal fluctide count of talk of professional the country of the country fluoride of an arkan metal of the group consisting of latitudy and pedium

enter the second of the movement of the metal transfer eathers is a principle of an executive for the state of the decidant to the temperatures in the per contrained Reserve of the second C.E.E.G.200 Dit Governdoor service the flooring as contigued a ninear men is a second on an equal volume Or limit gab

- after their outgreen outgreen is the common manager transmitted their contractions of the contraction of the
- nd. The payers of the out of a water the distinct material is area

The second of th

. The along of objects in which the arts the managed is to decourse